U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE 10/3/15 OMB No. 1660-0008 Expiration Date: July 31, 2015

4	//	//	H	ک	7
		4000			

Important: Read the instructions on pages 1-9.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE						
A1. Building Owner's Name Retreat at Garden City, LLC	Policy Number:						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 141 GC Retreat Drive	Company NAIC Number:						
City Murrells Inlet State SC ZIP Code 29576	aka						
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Unit #11 of Retreat at Garden City, PIN# 470-06-02-0205	Marie .						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 33°34′54″ Long. 78°59′53″ Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 5 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade NA c) Total net area of flood openings? A8. For a building with an attached garage: a) Square footage of attached garage NA b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade NA c) Total net area of flood openings in A8.b A8. For a building with an attached garage: a) Square footage of attached garage NA b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade NA c) Total net area of flood openings? A9. For a building with an attached garage b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade NA c) Total net area of flood openings? A9. For a building with an attached garage c) Square footage of attached garage within 1.0 foot above adjacent grade NA b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade NA c) Total net area of flood openings? A9. For a building with an attached garage c) Total net area of flood openings?							
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
B1. NFIP Community Name & Community Number Horry County 450104 B2. County Name Horry	B3. State SC						
B4. Map/Panel Number B5. Suffix B6. FIRM index Date B7. FIRM Panel Effective/Revised Date 08/23/1999 B8. Flood Zone(s) VE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)						
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source: 311. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source: 312. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ NO Designation Date: NA ☐ CBRS ☐ OPA							
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)							
SECTION O - BUILDING ELEVATION INFORMATION (SURVET REQU	IRED)						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE.	Finished Construction R/AH, AR/AO. Complete Items C2.ah Other/Source:						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE.	Finished Construction R/AH, AR/AO. Complete Items C2.ah Other/Source: ck the measurement used.						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE. Chec a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	Finished Construction R/AH, AR/AO. Complete Items C2.ah Other/Source:						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE. Chec a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG)	☑ Finished Construction R/AH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. ☑ feet						
11. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: \$CCC 5005-B Vertical Datum: NGVD 1929 Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE. Chec a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 7.34	Finished Construction R/AH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. feet						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 ☐ NAVD 1988 ☐ Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE. Chec a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D − SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICAT This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation mation. I certify that the information on this Certificate represents my best afforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by licensed land surveyor? ☒ Yes ☐ No	Finished Construction NAH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. feet						
1. Building elevations are based on: "A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations in items a) through h) below. Indicate elevation datum used for the elevations a) through h) below. Indicate elevation datum used for the elevations as that used for the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation below. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevation datum used for the elevation of the BFE. Indicate elevati	Finished Construction NAH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. feet						
1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AF below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SCCC 5005-B Vertical Datum: NGVD 1929 ☐ NAVD 1988 ☐ Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1929 ☐ NAVD 1988 ☐ Datum used for building elevations must be the same as that used for the BFE. Chec a) Top of bottom floor (including basement, crawlspace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D − SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICAT This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation mation. I certify that the information on this Certificate represents my best afforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by licensed land surveyor? ☒ Yes ☐ No	Finished Construction NAH, AR/AO. Complete Items C2.a-h Other/Source: ck the measurement used. feet						

PHIMINISTER

ELEVATION CERTIFICATE, pa	~.						
	opy the corresponding information from S		FOR II	NSURANCE COMPANY USE			
Building Street Address (including Apt., 141 GC Retreat Drive	Unit, Suite, and/or Bldg. No.) or P.O. Route and E	Box No.	Policy	Number:			
City Murreils Inlet	State SC Z	P Code 29576	Compa	any NAIC Number:			
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)							
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.							
Comments Item Cale is HVAC equipm							
Signature \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Date 10	D-12-15					
SECTION É - BUILDING ELEV	VATION INFORMATION (SURVEY NOT RE	QUIRED) FOR ZON	IE AO AND	ZONE A (WITHOUT BFE)			
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).							
a) Top of bottom floor (including basement, crawlspace, or enclosure) is							
	Unknown. The local official must certify this infor F PROPERTY OWNER (OR OWNER'S R		CERTIFICA	TION			
The property owner or owner's authoriz	zed representative who completes Sections A, B, a	nd E for Zone A (with					
or Zone AO must sign here. The statem Property Owner's or Owner's Authorize	nents in Sections A, B, and E are correct to the beared Representative's Name	st of my knowledge.		 			
			D4-4	710 0 - 4			
Address	City		State	ZIP Code			
Signature	Date		Telephone	WYS TO ANALAS AND ANAL			
Comments				Check here if attachments			
The local official who is authorized by law	SECTION G – COMMUNITY INFORM or ordinance to administer the community's floodpla	•		lete Sections A. P. C. (as E) and C.			
of this Elevation Certificate. Complete the	applicable item(s) and sign below. Check the meas	urement used in Items	G8-G10. In P	uerto Rico only, enter meters.			
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)							
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4–G10) is provided for community floodplain management purposes.							
G4. Permit Number	G5. Date Permit Issued			e/Occupancy Issued			
G7. This permit has been issued for:	New Construction ☐ Substantial Impr	ovement					
G8. Elevation of as-built lowest floor (in		feet mete	rs Datu	m			
G9. BFE or (in Zone AO) depth of flood	· · · · · · · · · · · · · · · · · · ·	☐ feet ☐ mete		m			
G10. Community's design flood elevation	ν	☐ feet ☐ mete	rs Datu	m			
Local Official's Name	Title						
Community Name	Tele	phone					
Signature	Date						
Comments	.,						
				Check here if attachments.			

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 141 GC Retreat Drive

City Murrells Inlet

State SC

ZIP Code 29576

Policy Number:

Company NAIC Number:

FOR INSURANCE COMPANY USE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Front View (9-11-15)



Right Side View (9-11-15)



Rear View (9-11-15)



Left Side View (9-11-15)

SOLAN ASSOCIATES, P.C. ENGINEERING, PLANNING & LAND SURVEYING

October 12, 2015


Horry County Code Enforcement Department 1302 Second Avenue Conway, SC 29526

RE: Lot #11, Retreat at Garden City

Dear Sir:

The breakaway walls constructed around the ground level storage meet the structural requirements of FEMA Technical Bulletins 5 & 9 for breakaway wall construction.

Please call with any questions.



101215